



DISTRIBUTOR
EQUIPMENT PRICING

DEF DRUM DISPENSING SYSTEMS

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFDPHP	Drum Piston Hand Pump System	Manual lever pump expandable downtube poly manual nozzle with lock pin 20' dispense hose	ZOR / 1010	\$290.00
	DEFDP120	120v Drum Dispensing System	120v 1.8 AMP 10 GPM 13' dispense hose 6' electric cable plug poly manual nozzle	ZOR / 1010	\$530.00
	DEFDP12V	12v Drum Dispensing System	12v 14 AMP 10 GPM 13' dispense hose 6' battery terminal clips poly manual nozzle	ZOR / 1010	\$530.00
	DEFDP120P	120v Drum Dispensing Pump Only	120v 1.8 AMP 10 GPM pump only	ZOR / 1010	\$376.00
	DEFDP12VP	12v Drum Dispensing Pump Only	12v 14 AMP 10 GPM pump only	ZOR / 1010	\$376.00
	DEFDR-C	DEF 55 GAL 3 Wheel Mobile Drum Cart	3 wheel mobile drum cart locking front wheel works with all drum pumps listed above	ZOR / 1010	\$910.00

DEF TOTE DISPENSING SYSTEMS

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFTP120MN	120v Tote Dispensing System	120v 2.8 AMP 10 GPM 20' DEF dispense hose poly manual nozzle 3 year warranty	ZOR / 1010	\$790.00
	DEFTP120SN	120v Tote Dispensing System	120v 2.8 AMP 10 GPM 20' DEF dispense hose stainless steel nozzle 3 year warranty	ZOR / 1010	\$1,030.00
	DEFTPP120	120v Premium Tote Dispensing System	120v 2.8 AMP 10 GPM 20' dispense hose meter filter stainless steel nozzle 3 year warranty	ZOR / 1010	\$1,230.00
	DEFTP12VMN	12v Tote Dispensing System	12v 18 AMP 10 GPM 20' DEF dispense hose poly manual nozzle 3 year warranty	ZOR / 1010	\$1,030.00
	DEFTP120P	120v Tote Dispensing Pump Only	120v 2.8 AMP 10 GPM 3 year warranty	ZOR / 1010	\$530.00
	DEFTP12VP	12v Tote Dispensing Pump Only	12v 18 AMP 10 GPM 3 year warranty	ZOR / 1010	\$530.00

DEF DRUM & TOTE DISPENSING ACCESSORIES					
1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEF756-008B	EPV Dispense Coupler (Drum)	Stainless Steel Drum Coupler	ZOR / 1010	\$164.00
	DEF744-048	RSV Dispense Coupler (Tote)	Stainless Steel Tote Coupler	ZOR / 1010	\$240.00
	DEF5702	Composite Dispense Coupler (Tote)	Poly Tote Coupler	ZOR / 1010	\$130.00
	DEFMTR	Inline Flow Meter	DEF Dispensing Flow Meter	ZOR / 1010	\$310.00
	DEFFM	Inline Flow Meter	DEF inline Flow Meter - Rubber incased poly housing	ZOR / 1010	\$250.00
	DEFPLSMTR	Pulse Meter	DEF Inline Pulse Meter	ZOR / 1010	\$355.00
	DEF-MN	DEF Poly Manual Nozzle	Poly Manual Nozzle	ZOR / 1010	\$76.00
	DEF-SN	DEF Automatic Shut-Off Nozzle	Stainless Steel Automatic Nozzle	ZOR / 1010	\$310.00
	DEF-SNMAG	DEF Auto Nozzle with Magnetic Tip	DEF Auto Nozzle with Magnetic Tip	ZOR / 1010	\$490.00
	DEFMAG-C	Magnetic Collar Only	Magnetic Collar Only	ZOR / 1010	\$70.00
	DEFHR25	DEF 25 FT Hose Reel	25' Hose Reel DEF Hose Steel Housing Spring Rewind	ZOR / 1010	\$1,070.00
	4020458	DEF 50 FT Hose Reel	50' Hose Reel DEF Hose Steel Housing Spring Rewind	ZEQ/1010	\$1,914.00
	TBA	DEF 75 FT Hose Reel	75' Hose Reel DEF Hose Steel Housing Spring Rewind	ZEQ/1010	\$2,596.00
	TBA	DEF 100 FT Hose Reel	100' Hose Reel DEF Hose Steel Housing Spring Rewind	ZEQ/1010	\$2,804.00
	DEFTBFL96	DEF Inline Filter Unit	DEF Inline Filter Unit 3.62 inch 92mm	ZOR / 1010	\$84.00

	DEFTBFL156	DEF Inline Filter Unit	DEF Inline Filter Unit 6.14 inch	ZOR / 1010	\$88.00
	DEFTBFLC96	Filter Replacement	DEF Filter Cartridge 3.62 inch 92mm	ZOR / 1010	\$49.00
	DEFTBFLC156	Filter Replacement	DEF Inline Filter Unit 6.14 inch	ZOR / 1010	\$49.00
	DEFDH55BD-A	DEF 55 Gal Drum Heat Blanket	120v 3.5 Amps Internal Present 80° F (+- 10° F)	ZOR / 5028	\$1,190.00
	DEFTH275BD-A	DEF 275 Gal Tote Heat Blanket	120v 12 Amps Internal Present 70° F (+- 10° F) Top Access	ZOR / 5028	\$3,830.00
	DEFTH330BD-A	DEF 330 Gal Tote Heat Blanket	120v 12 Amps Internal Present 70° F (+- 10° F) Front Access	ZOR / 5028	\$4,690.00
	DEFSH4	4 Feet x 3/4 Inch Suction Hose	Peroxide cured EPDM Anti-Static DEF Hose	ZOR / 1010	\$28.00
	DEFHOSE10	10 Feet x 3/4 Inch DEF Hose	Peroxide cured EPDM Anti-Static DEF Hose	ZOR / 1010	\$112.00
	DEFHOSE20	20 Feet x 3/4 Inch DEF Hose	Peroxide cured EPDM Anti-Static DEF Hose	ZOR / 1010	\$166.00
	DEFHOSE30	30 Feet x 3/4 Inch DEF Hose	Peroxide cured EPDM Anti-Static DEF Hose	ZOR / 1010	\$218.00
	DEFHOSE40	40 Feet x 3/4 Inch DEF Hose	Peroxide cured EPDM Anti-Static DEF Hose	ZOR / 1010	\$276.00
	DEF755-003	55 Gal Drum EPV Valve	55 Gal Drum EPV Valve Min QTY 25	ZOR / 5048	\$18.00
	DEF102-136/805	55 Gal Drum EPV Down Tube	55 Gal Drum EPV Down Tube Min QTY 25	ZOR / 5048	\$13.00
	BEDEFVD55P	55 Gal Drum Valve & Downtube	55 Gal Drum Valve & Downtube Min QTY 25	ZOR / 1010	\$34.00
	BEDEFVD275P	275 Gal Tote Valve & Downtube	275 Gal Tote Valve & Downtube Min QTY 25	ZOR / 1010	\$34.00
	BEDEFVD330P	330 Gal Tote Valve & Downtube	330 Gal Tote Valve & Downtube Min QTY 25	ZOR / 1010	\$34.00

	DEF743-097	RSV Container Valve	RSV Container Valve Min QTY 25	ZOR / 5048	\$66.00
	DEF5698-960	275 Gal RSV Downtube	275 Gal RSV Downtube Min QTY 25	ZOR / 5048	\$8.50
	DEF5698-1135	330 Gal RSV Downtube	330 Gal RSV Downtube Min QTY 25	ZOR / 5048	\$8.50
	ZTFSEAL	Tamper Seal	Tamper Seal Min QTY 100	ZOR / 5001	\$4.00
	DEF230248	DEF Tote Cap	DEF Tote Cap	ZOR / 1010	\$30.00
	DEF5792	DEF Dual Port Tote Cap	DEF Dual Port Tote Cap	ZOR / 1010	\$34.00
	EMPTY TOTES	CONTACT SALES MANAGER FOR PRICING			\$0.00
	DEF72-200	2" Dixon Dry Break Adapter	Adapter Size 2-1/2" Female Threase Size 2" NPT Thread	ZOR / 1010	\$790.00
	DEFMB-FILL	2" Dixon Dry Break Coupler	2" Dixon Dry Break Coupler	ZOR / 1010	\$2,130.00
	DEF744-062	RSV Fill Coupler	Stainless Steel Tote Fill Head 1" NPT male Vented	ZOR / 5048	\$388.00
	4017157	132" Tank Link Monitor	DEF Tank Monitor Stainless Steel Probe 132" cable length	ZOR / 1010	\$1,410.00
	4017158	264" Tank Link Monitor	DEF Tank Monitor Stainless Steel Probe 264" cable length	ZOR / 1010	\$1,450.00
	PA203XK	5 Scale Refracometer	5 Scale Refractometer	ZOR / 1010	\$910.00
	DEF25600	90 Degree with {2} Union Nut	90 Degree with {2} Union Nut	ZOR / 1010	\$16.00
	DEF25601	90 Degree with Hose Barb	90 Degree with Hose Barb	ZOR / 1010	\$16.00
	DEF25606	Straight Union with Hose Barb	Straight Union with Hose Barb	ZOR / 1010	\$16.00
	25610	Dual Sided Straight Union	Dual Sided Straight Union	ZOR / 1010	\$16.00
	25611	Manifold 1" Female x 1" Male	Manifold 1" Female x 1" Male	ZOR / 1010	\$36.00

	25612	Manifold 1" Female x 1" Male	Manifold 1" Female x 1" Male	ZOR / 1010	\$36.00
	25615	Double Nipple	Double Nipple	ZOR / 1010	\$18.00
	23200	Poly Foot Valve	Poly Foot Valve	ZOR / 1010	\$18.00
	23188	SST Foot Valve	1" Female Inlet	ZOR / 1010	\$36.00
	45150	Vent	Vent	ZOR / 1010	\$54.00
	45150950	Vent	Vent	ZOR / 1010	\$54.00
	4006437	Drum Thread Adapter	Drum Thread Adapter	ZOR / 1010	\$30.00
	4006405	Mount for DEFMTR	Meter Support Bracket	ZOR / 1010	\$16.00
	4006355	Mobile Cart Front Wheel	Replacement Front Wheel for Mobile Drum Cart	ZOR / 1010	\$52.00
	4006354	Mobile Cart Back Wheel	Replacement Back Wheel for Mobile Drum Cart	ZOR / 1010	\$86.00
	4006474	SST Nozzle Hose Barb	Nozzle Swivel to Hose Barb	ZOR / 1010	\$36.00
	23166	SST DEF Nozzle Auto On / Off Switch	SST DEF Nozzle Auto On / Off Switch	ZOR / 1010	\$350.00
	4016305	DEFTP Seal Kit	Seal Replacement for DEFTP Series Pump	ZOR / 1010	\$570.00
	4011103	DEF Bulk Tank Stand	DEF Bulk Tank Stand	ZOR / 1010	\$910.00
	4016312	Poly Nozzle Dock Replacement	Poly Nozzle Dock Replacement	ZOR / 1010	\$30.00
	4016314	25 FT Fixed Wall Bracket Mount	25 FT Fixed Wall Bracket Mount	ZOR / 1010	\$36.00
	4016313	25 FT 90 Degree Rotate Wall Bracket Mount	25 FT 90 Degree Rotate Wall Bracket Mount	ZOR / 1010	\$76.00
	4016315	Truck Tank 12v Pump Bracket Only	Truck Tank 12v Pump Bracket Only	ZOR / 1010	\$96.00

	4016307	PNP Top Cover	PNP Top Cover	ZOR / 1010	\$230.00
	4016309	PNP Top Lid Bolt	PNP Top Lid Bolt	ZOR / 1010	\$12.00
	4016311	TRUCK TANK FILL CAP	TRUCK TANK FILL CAP	ZOR / 1010	\$92.00
	4018626	PNP FUSE KIT	PNP FUSE KIT	ZOR / 1010	\$70.00
	4020582	DEF PUMP POWER SWITCH	DEFTP STYLE PUMP POWER SWITCH REPLACEMENT	ZOR / 1010	\$55.00

DEF MOBILE TRUCK TANK SYSTEM

The DEF Mobile Truck Tank System is a fully-enclosed mobile storage and dispensing system. Designed specifically for dispensing DEF in the field and fits perfectly on pick-up truck beds. Available in 66 or 115 gallon sizes.



TECHNICAL DATA

- HDPE UV resistant molded tank
- 12V Pro Series DEF pump
- Die-cast aluminum motor and switch case make the pump shock resistant
- 20' DEF dispense hose
- Durable manual poly nozzle with lock pin feature
- 10' power cable with battery terminal clips
- Lockable protection lid
- Flow rate: 7-10 gpm
- Operating pressure 25 psi
- Forklift recesses
- Integrated carry handles
- Molded recesses for tie-down during transport

Dimensions LxWxH (inch) - 66 Gallon: 47.25" x 32" x 25"
Dimensions LxWxH (inch) - 115 Gallon: 47.25" x 32" x 36"

OPTIONS/ADD ONS

DEFTT66 - Mobile Truck Tank 66 Gallon

DEFTT115 - Mobile Truck Tank 115 Gallon

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFTT66	MOBILE TRUCK TANK 66 GALLON	12V TRUCK TANK SYSTEM - 66 GALLON	ZOR / 1010	\$2,730.00
	DEFTT115	MOBILE TRUCK TANK 115 GALLON	12V TRUCK TANK SYSTEM - 115 GALLON	ZOR / 1010	\$3,050.00
	DEFTP12VP	12V PUMP ONLY	12V PUMP ONLY REPLACEMENT	ZOR / 1010	\$530.00
	DEF-SN	SST AUTO NOZZLE	SST AUTO NOZZLE	ZOR / 1010	\$310.00
	DEFHOSE30	30 FT X 3/4 INCH DEF HOSE	30 FT X 3/4 INCH DEF HOSE	ZOR / 1010	\$218.00
	4016315	12V TRUCK TANK BRACKET ONLY	12V TRUCK TANK BRACKET ONLY	ZOR / 1010	\$96.00

396 GALLON DEF PLUG N' PUMP SYSTEMS

The 396 gallon PNP offers everything needed to ensure your operation has the capability to store and pump the DEF you need in this compact and quality station.

- DEF PNP includes tank level indicator, 120V diaphragm pump, in-line digital meter, leakage alarm, 20 ft discharge hose and stainless steel automatic shut-off nozzle
- Pre-wired and ready for operation
- Heated Tank Option Available



DEFPNP396

UPC: 0-74804-06507-7
SCC 14 Bar Code: 1-00-74804-06507-4

TECHNICAL DATA

Tank:	
Tank volume (gal.):	396
Material tank:	PE-LLD Lupolen 4021 K RM
Color outer tank:	blue, RAL 5015
Color inner tank:	white
Color of the door:	blue, RAL 5015
Removable lid of the outer tank, LxW (inch):	66.14 x 36.42
Diameter of the manhole in the inner tank (inch):	22.24
Dimensions of the access door, WxH (inch):	28.74 x 60.24
Fixing points:	using inserts
PUMP:	
Pump design:	diaphragm, self-priming
Delivery rate under free discharge up to (gpm):	9.2
Discharge pressure up to (psi):	26.4
Pumping media:	DEF
MOTOR DATA:	
Voltage (V):	120
Frequency (Hz):	60
Power consumption (A):	2.8
Thermal protection:	self-resetting
Duty cycle:	continuous operation
Protection class:	IP 54
Dimensions LxWxH (mm)/(inch):	67.1 x 48.84 x 94.48
Weight (kg)/(lb):	793.66

SPECIFICATION

- Double walled tank
- Wall thickness up to 0.28 inch
- Diffusion and UV-resistant
- Filling valve G2"
- 2" Dixon Dry-Break
- Ventilation valve
- Pneumatic level indicator, in %
- Optical and visual leakage alarm
- Stainless steel foot valve with filter
- Lockable door using 2 padlocks
- Diaphragm pump with integrated bypass, mounted on a stainless steel plate
- On/Off switch
- In-line digital meter
- Discharge hose, 20 ft
- Stainless steel nozzle with rotary swivel

SPECIAL NOTES

- Heated Tank Option Available - Item # DEFPN396H

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFPNP396	396 GALLON PNP	67.71"L x 48.81"W x 94.48"H	ZOR / 1010	\$10,944.00
	DEFPNP396H	HEATED 396 GALLON PNP	67.71"L x 48.81"W x 94.48"H	ZOR / 1010	\$14,470.00
	DEF-TL132	PNP WIRELESS TANK MONITOR	PNP WIRELESS TANK MONITOR	ZOR / 1010	\$1,410.00
	DEFHR25PNP	PNP 25 FT HOSE REEL	PNP 25 FT REEL W/SUPPORT BRACKET	ZOR / 1010	\$1,131.74
	DEFPLSMTR	DEF PLS METER	INLINE PULSE METER	ZOR / 1010	\$350.00
	DEF23166	DEF AUTO ON / OFF NOZZLE DOCK	DEF AUTO ON / OFF NOZZLE DOCK	ZOR / 1010	\$390.00
	4018626	PNP FUSE KIT	PNP FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

660 GALLON DEF PLUG N' PUMP SYSTEMS

The 660 gallon PNP offers everything needed to ensure your operation has the capability to store and pump the DEF you need in this medium sized and quality station.

- DEF PNP includes tank level indicator, 120V diaphragm pump, in-line digital meter, leakage alarm, 20 ft discharge hose and stainless steel automatic shut-off nozzle
- Pre-wired and ready for operation
- Heated Tank Option Available



DEFPNP660

UPC: 0-74804-06509-1
SCC 14 Bar Code: 1-00-74804-06509-8

TECHNICAL DATA

Tank:	
Tank volume (gal.):	660
Material tank:	PE-LLD Lupolen 4021 K RM
Color outer tank:	blue, RAL 5015
Color inner tank:	white
Color of the door:	blue, RAL 5015
Removable lid of the outer tank, LxW (inch):	66.14 x 36.42
Diameter of the manhole in the inner tank (inch):	22.24
Dimensions of the access door, WxH (inch):	28.74 x 60.24
Fixing points:	using inserts
PUMP:	
Pump design:	diaphragm, self-priming
Delivery rate under free discharge up to (gpm):	9.2
Discharge pressure up to (psi):	26.4
Pumping media:	DEF
MOTOR DATA:	
Voltage (V):	120
Frequency (Hz):	60
Power consumption (A):	2.8
Thermal protection:	self-resetting
Duty cycle:	continuous operation
Protection class:	IP 54
Dimensions LxWxH (inch):	~~73.39 x 57.48 x 94.48~~
Weight (lb):	573.20

SPECIFICATION

- Double walled tank
- Wall thickness up to 0.28 inch
- Diffusion and UV-resistant
- Filling valve G2"
- 2" Dixon Dry-Break
- Ventilation valve
- Pneumatic level indicator, in %
- Optical and visual leakage alarm
- Stainless steel foot valve with filter
- Lockable door using 2 padlocks
- Diaphragm pump with integrated bypass, mounted on a stainless steel plate
- On/Off switch
- In-line digital meter for DEF
- Discharge hose, 20 ft
- Stainless steel automatic shut-off nozzle with rotary swivel

SPECIAL NOTES

- Heated Tank Option Available - Item #: DEFPNP660H

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFPNP660	660 GALLON PNP	73.39"L x 57.48"W x 94.48"H	ZOR / 1010	\$11,698.00
	DEFPNP660H	HEATED 660 GALLON PNP	73.39"L x 57.48"W x 94.48"H	ZOR / 1010	\$15,646.00
	DEF-TL132	PNP WIRELESS TANK MONITOR	PNP WIRELESS TANK MONITOR	ZOR / 1010	\$1,410.00
	DEFHR25PNP	PNP 25 FT HOSE REEL	PNP 25 FT REEL W/SUPPORT BRACKET	ZOR / 1010	\$1,131.74
	DEFPLSMTR	DEF PLS METER	INLINE PULSE METER	ZOR / 1010	\$350.00
	DEF23166	DEF AUTO ON / OFF NOZZLE DOCK	DEF AUTO ON / OFF NOZZLE DOCK	ZOR / 1010	\$390.00
	4018626	PNP FUSE KIT	PNP FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

1320 GALLON DEF PLUG N' PUMP SYSTEMS

The 1320 gallon PNP offers everything needed to ensure your operation has the capability to store and pump the DEF you need in this large sized and quality station.

- DEF PNP includes tank level indicator, 120V diaphragm pump, in-line digital meter, leakage alarm, 20 ft discharge hose and stainless steel automatic shut-off nozzle
- Pre-wired and ready for operation
- Heated Tank Option Available



DEFNP1320

UPC: 0-74804-06511-4
SCC 14 Bar Code: 1-00-74804-06511-1

TECHNICAL DATA

Tank:

Tank volume (gal.): 1320
Material tank: PE-LLD Lupolen 4021 K RM
Color outer tank: blue, RAL 5015
Color inner tank: white
Color of the door: blue, RAL 5015
Removable lid of the outer tank, LxW (inch): 66.14 x 36.42
Diameter of the manhole in the inner tank (inch): 22.24
Dimensions of the access door, WxH (inch): 28.74 x 60.24
Fixing points: using inserts

PUMP:

Pump design: diaphragm, self-priming
Delivery rate under free discharge up to (gpm): 9.2
Discharge pressure up to (psi): 26.4
Pumping media: DEF

MOTOR DATA:

Voltage (V): 120
Frequency (Hz): 60
Power consumption (A): 2.8
Thermal protection: self-resetting
Duty cycle: continuous operation
Protection class: IP 54
Dimensions LxWxH (inch): 94.49 x 78.74 x 94.49
Weight (lb): 793.66

SPECIFICATION

- Double walled tank
- Wall thickness up to 0.28 inch
- Diffusion and UV-resistant
- Filling valve G2"
- 2" Dixon Dry-Break
- Ventilation valve
- Pneumatic level indicator, in %
- Optical and visual leakage alarm
- Stainless steel foot valve with filter
- Lockable door using 2 padlocks
- Diaphragm pump with integrated bypass, mounted on a stainless steel plate
- On/Off switch
- In-line digital meter
- Discharge hose, 20 ft
- Stainless steel automatic shut-off nozzle with rotary swivel

SPECIAL NOTES

- Heated Tank Option Available - Item #: DEFNP1320H

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	DEFNP1320	660 GALLON PNP	94.41"L x 78.82"W x 94.48"H	ZOR / 1010	\$18,190.00
	DEFNP1320H	HEATED 660 GALLON PNP	94.41"L x 78.82"W x 94.48"H	ZOR / 1010	\$19,970.00
	DEF-TL132	PNP WIRELESS TANK MONITOR	PNP WIRELESS TANK MONITOR	ZOR / 1010	\$1,410.00
	DEFHR25PNP	PNP 25 FT HOSE REEL	PNP 25 FT REEL W/SUPPORT BRACKET	ZOR / 1010	\$1,131.74
	DEFPLSMTR	DEF PLS METER	INLINE PULSE METER	ZOR / 1010	\$350.00
	DEF23166	DEF AUTO ON / OFF NOZZLE DOCK	DEF AUTO ON / OFF NOZZLE DOCK	ZOR / 1010	\$390.00
	4018626	PNP FUSE KIT	PNP FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

DEF ISLAND MINI BULK TANK ONLY

The Mini Bulk system showcases UV resistant, steel outer panels and roof that are insulated for hot to cold climates. Every part and component are certified ISO 22241 DEF compatible to ensure you never have to worry about contaminants compromising the chemistry. This system is pre-wired for easy installation. Features a mechanical fill-port valve (to prevent overfilling), dry-break adapter fill port, high-level indicator and tank level gauge. The Mini Bulk system is designed to fit on a fuel island and is ready to pair with any 3rd party DEF Dispenser.

Includes lockable fill port door and a ½ HP submersible DEF pump. Also includes forklift pockets for quick relocation.



TECHNICAL DATA

1300 GALLON TANK ONLY

Height	104"
Width	44.3"
Length	155"
Weight (empty)	1,800 lbs
Weight (full)	11,000 lbs
Flow Rate	~15 gpm
Insulation Core	Polyurethane
Insulation thickness	1.96"
System Pressure	60 psi (36 operating)
Standard Voltage	
Maximum Pump Amperage	115v 60 Hz
Maximum Heater Amperage	115v 60 Hz
Level Gauge	7 segment LED display
Removable Top Lid	46.33" x 32.95"
Level probe port	2"
Pre-piped dispense ports	(2) 1"
Technical access room	65" x 19.68"
ISO 22241-3 & 22241-1	Complies

FEATURES

- Unit fits on all standard width fuel islands
- Pre-wired electrical components
- Polished stainless steel outer panels and roof
- High density polyethylene tank with no bottom or side-wall penetrations
- Keeps fluid safe from environmental hazards
- Easily relocatable
- Integrates with any brand commercial, fleet or retail dispenser
- 120V design standard with a 1/2 HP submersible DEF pump
- Pre-plumbed 2" level probe port
- Top tank access service door
- Lockable fill-port
- High level indicator with overfill protection valve
- LED tank level indicator with low and high alert

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	MB792	792 GALLON ISLAND MINI BULK TANK	108"L x 44.3"W x 100"H	ZOR / 1010	\$24,430.00
	MB1300	1300 GALLON ISLAND MINI BULK TANK	155"L x 44.3"W x 100"H	ZOR / 1010	\$26,630.00
	4000657	2" DIXON DRY BREAK FILL ADAPTER	FILL PORT CONNECTION - 2" ADAPTER ON TANK	ZOR / 1010	\$790.00
	4017155	1/2HP SUB PUMP	1/2HP SUB PUMP	ZOR / 1010	CALL
	4017248	MINI BULK FUSE KIT	MINI BULK FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

DEF ISLAND MINI BULK FLEET SYSTEM

The Mini Bulk system showcases UV resistant, steel outer panels and roof that are insulated for hot to cold climates. Every part and component are certified ISO 22241 DEF compatible to ensure you never have to worry about contaminants compromising the chemistry. This system is pre-wired for easy installation. Features a mechanical fill-port valve (to prevent overfilling), dry-break adapter fill port, high-level indicator and tank level gauge. The Mini Bulk system is designed to fit on a fuel island and is ready to pair with any 3rd party DEF Dispenser.

Includes lockable fill port door and a ½ HP submersible DEF pump. Also includes forklift pockets for quick relocation.



TECHNICAL DATA

1300 GALLON TANK ONLY

Height	104"
Width	44.3"
Length	155"
Weight (empty)	1,800 lbs
Weight (full)	11,000 lbs
Flow Rate	~15 gpm
Insulation Core	Polyurethane
Insulation thickness	1.96"
System Pressure	60 psi (36 operating)
Standard Voltage	
Maximum Pump Amperage	115v 60 Hz
Maximum Heater Amperage	115v 60 Hz
Level Gauge	7 segment LED display
Removable Top Lid	46.33" x 32.95"
Level probe port	2"
Pre-piped dispense ports	(2) 1"
Technical access room	65" x 19.68"
ISO 22241-3 & 22241-1	Complies

FEATURES

- Unit fits on all standard width fuel islands
- Pre-wired electrical components
- Polished stainless steel outer panels and roof
- High density polyethylene tank with no bottom or side-wall penetrations
- Keeps fluid safe from environmental hazards
- Easily relocatable
- Integrates with any brand commercial, fleet or retail dispenser
- 120V design standard with a 1/2 HP submersible DEF pump
- Pre-plumbed 2" level probe port
- Top tank access service door
- Lockable fill-port
- High level indicator with overfill protection valve
- LED tank level indicator with low and high alert

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	MB792-FLT	792 GALLON MINI BULK FLEET SYSTEM	108"L x 44.3"W x 100"H	ZOR / 1010	\$26,630.00
	MB1300-FLT	1300 GALLON MINI BULK FLEET SYSTEM	155"L x 44.3"W x 100"H	ZOR / 1010	\$30,630.00
	4000657	2" DIXON DRY BREAK FILL ADAPTER	FILL PORT CONNECTION - 2" ADAPTER ON TANK	ZOR / 1010	\$790.00
	4017155	1/2HP SUB PUMP	1/2HP SUB PUMP	ZOR / 1010	CALL
	4006486	120V DEF PUMP ASSEMBLY	120V DEF PUMP ASSEMBLY	ZOR / 1010	\$530.00
	4017248	MINI BULK FUSE KIT	MINI BULK FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

DEF ISLAND MINI BULK CARDLOCK / RETAIL SYSTEM

The Mini Bulk system showcases UV resistant, steel outer panels and roof that are insulated for hot to cold climates. Every part and component are certified ISO 22241 DEF compatible to ensure you never have to worry about contaminants compromising the chemistry. This system is pre-wired for easy installation. Features a mechanical fill-port valve (to prevent overfilling), dry-break adapter fill port, high-level indicator and tank level gauge. The Mini Bulk system is designed to fit on a fuel island and is ready to pair with any 3rd party DEF Dispenser.

Includes lockable fill port door and a ½ HP submersible DEF pump. Also includes forklift pockets for quick relocation.



TECHNICAL DATA

1300 GALLON TANK ONLY

Height	104"
Width	44.3"
Length	155"
Weight (empty)	1,800 lbs
Weight (full)	11,000 lbs
Flow Rate	~15 gpm
Insulation Core	Polyurethane
Insulation thickness	1.96"
System Pressure	60 psi (36 operating)
Standard Voltage	
Maximum Pump Amperage	115v 60 Hz
Maximum Heater Amperage	115v 60 Hz
Level Gauge	7 segment LED display
Removable Top Lid	46.33" x 32.95"
Level probe port	2"
Pre-piped dispense ports	(2) 1"
Technical access room	65" x 19.68"
ISO 22241-3 & 22241-1	Complies

FEATURES

- Unit fits on all standard width fuel islands
- Pre-wired electrical components
- Polished stainless steel outer panels and roof
- High density polyethylene tank with no bottom or side-wall penetrations
- Keeps fluid safe from environmental hazards
- Easily relocatable
- Integrates with any brand commercial, fleet or retail dispenser
- 120V design standard with a 1/2 HP submersible DEF pump
- Pre-plumbed 2" level probe port
- Top tank access service door
- Lockable fill-port
- High level indicator with overfill protection valve
- LED tank level indicator with low and high alert

1/1/2021	PART #	DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	TBA	792 GAL MINI BULK W/RETAIL DISPENSER	L x W x H - AVAILABLE ON REQUEST	ZOR / 1010	CALL
	TBA	1300 GAL MINI BULK W/RETAIL DISPENSER	L x W x H - AVAILABLE ON REQUEST	ZOR / 1010	CALL
	4000657	2" DIXON DRY BREAK FILL ADAPTER	FILL PORT CONNECTION - 2" ADAPTER ON TANK	ZOR / 1010	\$790.00
	4017155	1/2HP SUB PUMP	1/2HP SUB PUMP	ZOR / 1010	CALL
	4017248	MINI BULK FUSE KIT	MINI BULK FUSE KIT	ZOR / 1010	\$90.00

This quote is for equipment only. It does NOT include freight or installation services. Freight and installation can be quoted upon request.

DEF PNP & MB SPARE PARTS LIST					
PART #		DESCRIPTION	DETAILS	TYPE/PLNT	LIST PRICE
	4017157	DEF 132" WIRELESS TANK MONITOR	DEF 132" WIRELESS TANK MONITOR	ZOR / 1010	\$1,410.00
	4006451	25 FT HOSE REEL W/BRACKET	25 FT HOSE REEL W/BRACKET	ZOR / 1010	\$1,131.74
	4009866	DEF SST AUTO NOZ W/MAGNETIC TIP	DEF SST AUTO NOZ W/MAGNETIC TIP	ZOR / 1010	\$490.00
	TBA	SEISMIC RESTRAINT CABLE KIT	SEISMIC RESTRAINT CABLE KIT	ZOR / 1010	CALL
	4016388	PNP FRONT FIXED DOOR HINGE	PNP FRONT FIXED DOOR HINGE	ZOR / 1010	\$32.00
	4016308	PNP FRONT ADJUSTABLE DOOR HINGE	PNP FRONT ADJUSTABLE DOOR HINGE	ZOR / 1010	\$32.00
	4006491	DEF 1/3 HP PUMP ONLY	DEF 1/3 HP PUMP ONLY	ZOR / 1010	\$530.00
	4017171	PNP PNEUMATIC LEVEL INDICATOR	PNP PNEUMATIC LEVEL INDICATOR	ZOR / 1010	\$550.00
	4017161	PNP OVERFILL PREVENTION SYSTEM	PNP OVERFILL PREVENTION SYSTEM	ZOR / 1010	\$1,030.00
	4016307	PNP TOP COVER LID (ALL SIZES)	PNP TOP COVER LID (ALL SIZES)	ZOR / 1010	\$230.00
	4017160	PNP OPTICAL AND ACOUSTIC ALARM	PNP OPTICAL AND ACOUSTIC ALARM	ZOR / 1010	\$670.00
	4017184	PNP DOOR LOCK	PNP DOOR LOCK	ZOR / 1010	\$15.00
	4018626	PNP FUSE KIT	PNP FUSE KIT	ZOR / 1010	\$70.00
	4017175	DEF PNP HEAT ASSEMBLY REPLACEMENT	DEF PNP HEAT ASSEMBLY REPLACEMENT	ZOR / 1010	\$910.00