



PEAK

**ORIGINAL
EQUIPMENT
TECHNOLOGY[®]**

ANTIFREEZE + COOLANT

A PERFECT MATCH FOR EVERY VEHICLE



ORIGINAL EQUIPMENT TECHNOLOGY ANTIFREEZE + COOLANT

A PERFECT MATCH FOR EVERY VEHICLE

EUROPEAN VEHICLES

NORTH AMERICAN VEHICLES

ASIAN VEHICLES



New PEAK® Original Equipment Technology Antifreeze + Coolant

is a full line of OEM technology antifreeze/coolant specifically designed for Asian, European and North American vehicles in both concentrate and 50/50 dilution.

Each premium quality formula matches the OEM technology requirements and color recommendations, making it easy for consumers to find the right product for their vehicle.

This coolant line is the perfect fit for your consumers who are:

- Willing to do research to find the best products for their vehicle
- Accustomed to buying OEM parts vs. aftermarket because they believe the quality is better
- Not as cost conscious, and are willing to buy parts at a dealer

Color-coded packaging and a vehicle coverage list on the front of every bottle make it easy for consumers to find the PEAK formula that matches perfectly with their Asian, European or North American vehicle's unique needs.

PEAK
ORIGINAL EQUIPMENT TECHNOLOGY
 ANTIFREEZE + COOLANT



ASIAN VEHICLES

EUROPEAN VEHICLES

NORTH AMERICAN VEHICLES

FOR USE IN

- Hyundai: 1990 and up
- Infiniti: 1990-2008
- Kia: 1990 and up
- Mazda: 1990 and up
- Mitsubishi: 1990 and up, Lancer Pre-2012
- Nissan: 1990-2008
- Subaru: 1990-2008
- Suzuki: Pre-2010

- Acura: 1990 and up
- Honda: 1990 and up
- Infiniti: 2009 and up
- Mitsubishi: Mirage and Outlander 2001 and up, Raider 2006 and up, Lancer 2012 and up
- Nissan: 2009 and up
- Subaru: 2009 and up
- Suzuki: 2010 and up

- Lexus: 1990 and up
- Scion: 2004 and up
- Toyota: 1990 and up

- Audi: Pre-1996
- Mercedes-Benz: Pre-2014
- BMW: All
- Mini: All Gasoline
- Dodge: All Sprinters
- Porsche: Pre-1996
- Fiat/Alfa Romeo: Pre-2006
- Saab: Pre-2000
- Jaguar: Pre-1997
- Volvo: Pre-2015
- Land Rover V8 and Diesel: 1990-2005
- VW: Pre-1996

- Audi: 1996-2007
- Porsche: 1996-2009
- Fiat/Alfa-Romeo: 2006 and up
- Range Rover: 2006 and up
- Ferrari: 2010 and up
- Saab/Opel: 2001 and up
- Jaguar: 1997 and up
- Volvo: 2016 and up
- Land Rover: 1998 and up
- VW: 1996-2008
- Mini One D, Mini Cooper D: 2007-2011

- Audi: 2007 and up
- Mercedes-Benz: 2014 and up
- Porsche: 2010 and up
- VW: 2008 and up

- Chrysler: All Pre-2000
- Ford: All Pre-2002
- GM: All Pre-1995

- Chrysler: 2000 - 2012
- Ford: 2002 - 2010

- Chrysler: 2013 and up
- Ford: 2011 -2019
- GM: 1995 and up

FORMULATION/ TECHNOLOGY

EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free

EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free

EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free

EG-based coolant containing silicate-enhanced hybrid organic acid technology (Si-HOAT) that is nitrite, phosphate, and amine-free

EG-based coolant containing organic acid technology (OAT) that is borate, nitrite, phosphate, silicate, and amine-free

EG-based coolant containing silicate-enhanced organic acid technology (Si-OAT) that is borate, nitrite, phosphate and amine-free

EG-based coolant containing inorganic additive technology (IAT) that is nitrite and amine-free

EG-based coolant containing hybrid organic acid (HOAT) technology that is phosphate, amine, and 2-ethyl hexanoic acid (2-EHA) free

EG-based coolant containing organic acid technology (OAT) that is silicate, borate, phosphate, nitrite, and amine-free

LIQUID COLOR

Green

Blue

Red/Pink

Blue

Pink

Violet

Green

Gold

Orange

SPECIFICATIONS

ASTM D3306
JIS K2234

ASTM D3306
JIS K2234

ASTM D3306
JIS K2234

ASTM D3306
BS 6580

ASTM D3306
BS 6580

ASTM D3306
BS 6580

ASTM D3306
ASTM D4985

ASTM D3306
ASTM D4985
ASTM D6210

ASTM D3306
ASTM D4985

PROTECTION

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

2 years/50,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

5 years/150,000 miles with a complete cooling system flush and fill

CONCENTRATE PART #

PAG0B3

PAB0B3

PAR0B3

PEB0B3

PEP0B3

PEV0B3

NAC0B3

NAG0B3

NAO0B3

50/50 PREDILUTED PART #

PAGB53

PABB53

PARB53

PEBB53

PEPB53

PEVB53

NACB53

NAGB53

NAOB53

A PERFECT MATCH FOR EVERY VEHICLE



ORIGINAL EQUIPMENT TECHNOLOGY

ASIAN VEHICLES

PEAK ORIGINAL EQUIPMENT TECHNOLOGY ANTIFREEZE + COOLANT for ASIAN VEHICLES is a line of premium coolants specifically designed to match the technology and color requirements of Asian vehicles.

Each coolant is formulated with the same corrosion inhibitor technology that protected your vehicle straight from the factory. These formulas are designed to provide excellent protection against rust and corrosion to all cooling system metals, including aluminum. Color cues on the packaging and a list of covered vehicles on the front label make it easy to identify the right match for your specific vehicle.



RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	

EXTENDED LIFE GREEN ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Hyundai: 1990 and up Infiniti: 1990-2008 Kia: 1990 and up Mazda: 1990 and up Mitsubishi: 1990 and up, Lancer Pre-2012 Nissan: 1990-2008 Subaru: 1990-2008 Suzuki: Pre-2010
FORMULATION/TECHNOLOGY	EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free
LIQUID COLOR	Green
SPECIFICATION	ASTM D3306 and JIS K2234

	CONCENTRATE	50/50
Part Number	PAGOB3	PAGB53
UPC	0-74804-06370-7	0-74804-06371-4
Case UPC	0-74804-16370-4	0-74804-16371-1
Unit Size	1 GAL	1 GAL



RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	

EXTENDED LIFE RED/PINK ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Lexus: 1990 and up Scion: 2004 and up Toyota: 1990 and up
FORMULATION/TECHNOLOGY	EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free
LIQUID COLOR	Red/Pink
SPECIFICATION	ASTM D3306 and JIS K2234

	CONCENTRATE	50/50
Part Number	PAROB3	PARB53
UPC	0-74804-06374-5	0-74804-06375-2
Case UPC	0-74804-16374-2	0-74804-16375-9
Unit Size	1 GAL	1 GAL

EXTENDED LIFE BLUE ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Acura: 1990 and up Honda: 1990 and up Infiniti: 2009 and up Mitsubishi: Mirage and Outlander 2001 and up, Raider 2006 and up, Lancer 2012 and up Nissan: 2009 and up Subaru: 2009 and up Suzuki: 2010 and up
FORMULATION/TECHNOLOGY	EG-based coolant containing phosphate-enhanced organic acid technology (POAT) that is borate, nitrite, silicate and amine-free
LIQUID COLOR	Blue
SPECIFICATION	ASTM D3306 and JIS K2234

	CONCENTRATE	50/50
Part Number	PABOB3	PABB53
UPC	0-74804-06372-1	0-74804-06373-8
Case UPC	0-74804-16372-8	0-74804-16373-5
Unit Size	1 GAL	1 GAL



RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	



ORIGINAL EQUIPMENT TECHNOLOGY

EUROPEAN VEHICLES

PEAK ORIGINAL EQUIPMENT TECHNOLOGY ANTIFREEZE + COOLANT for EUROPEAN VEHICLES is a line of premium coolants specifically designed to match the technology and color requirements of European vehicles.

Each coolant is formulated with the same corrosion inhibitor technology that protected your vehicle straight from the factory. These formulas are designed to provide excellent protection against rust and corrosion to all cooling system metals, including aluminum. Color cues on the packaging and a list of covered vehicles on the front label make it easy to identify the right match for your specific vehicle.



EXTENDED LIFE PINK ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Audi: 1996-2007 Porsche: 1996-2009 Fiat/Alfa-Romeo: 2006 and up Range Rover: 2006 and up Ferrari: 2010 and up Saab/Opel: 2001 and up Jaguar: 1997 and up Volvo: 2016 and up Land Rover: 1998 and up VW: 1996-2008 Mini One D, Mini Cooper D: 2007-2011
FORMULATION/TECHNOLOGY	EG-based coolant contains organic acid technology (OAT) that is borate, nitrite, nitrate, phosphate, silicate, and amine-free
LIQUID COLOR	Pink
SPECIFICATION	ASTM D3306 and BS 6580

RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	

	CONCENTRATE	50/50
Part Number	PEPOB3	PEPB53
UPC	0-74804-06376-9	0-74804-06377-6
Case UPC	0-74804-16376-6	0-74804-16377-3
Unit Size	1 GAL	1 GAL



EXTENDED LIFE VIOLET ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Audi: 2007 and up Mercedes-Benz: 2014 and up Porsche: 2010 and up VW: 2008 and up
FORMULATION/TECHNOLOGY	EG-based coolant containing silicate-enhanced organic acid technology (Si-OAT) that is borate, nitrite, nitrate, phosphate and amine-free
LIQUID COLOR	Violet
SPECIFICATION	ASTM D3306 and BS 6580

RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	

	CONCENTRATE	50/50
Part Number	PEVOB3	PEVB53
UPC	0-74804-06380-6	0-74804-06381-3
Case UPC	0-74804-16380-3	0-74804-16381-0
Unit Size	1 GAL	1 GAL

EXTENDED LIFE BLUE ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Audi: Pre-1996 Mercedes-Benz: Pre-2014 BMW: All Mini: All Gasoline Dodge: All Sprinters Porsche: Pre-1996 Saab: Pre-2000 Fiat/Alfa Romeo: Pre-2006 Jaguar: Pre-1997 Volvo: Pre-2015 Land Rover V8 and Diesel: 1990-2005 VW: Pre-1996
FORMULATION/TECHNOLOGY	EG-based coolant containing silicate-enhanced hybrid organic acid technology (Si-HOAT) that is nitrite, phosphate, and amine-free
LIQUID COLOR	Blue
SPECIFICATION	ASTM D3306 and BS 6580

	CONCENTRATE	50/50
Part Number	PEBOB3	PEBB53
UPC	0-74804-06378-3	0-74804-06379-0
Case UPC	0-74804-16378-0	0-74804-16379-7
Unit Size	1 GAL	1 GAL



RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	



ORIGINAL EQUIPMENT TECHNOLOGY

NORTH AMERICAN VEHICLES

PEAK ORIGINAL EQUIPMENT TECHNOLOGY ANTIFREEZE + COOLANT for **NORTH AMERICAN VEHICLES** is a line of premium coolants specifically designed to match the technology and color requirements of **North American** vehicles.

Each coolant is formulated with the same corrosion inhibitor technology that protected your vehicle straight from the factory. These formulas are designed to provide excellent protection against rust and corrosion to all cooling system metals, including aluminum. Color cues on the packaging and a list of covered vehicles on the front label make it easy to identify the right match for your specific vehicle.



CONVENTIONAL LOW SILICATE GREEN ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Chrysler/FCA: Pre-2000 Ford: Pre-2002 GM: Pre-1995
FORMULATION/TECHNOLOGY	EG-based coolant containing inorganic additive technology (IAT) that is nitrite and amine-free
LIQUID COLOR	Green
SPECIFICATION	ASTM D3306, ASTM D4985

RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	✓

	CONCENTRATE	50/50
Part Number	NACOB3	NACB53
UPC	0-74804-06720-0	0-74804-06863-4
Case UPC	0-74804-16720-7	0-74804-16863-1
Unit Size	1 GAL	1 GAL



EXTENDED LIFE GOLD ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Chrysler/FCA: 2000-2012 Ford: 2002-2010
FORMULATION/TECHNOLOGY	EG-based coolant containing hybrid organic acid technology (HOAT) that is phosphate, amine, and 2-ethyl hexanoic acid (2-EHA) free
LIQUID COLOR	Gold
SPECIFICATION	ASTM D3306, ASTM D4985, ASTM D6210

RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	✓

	CONCENTRATE	50/50
Part Number	NAGOB3	NAGB53
UPC	0-74804-06721-7	0-74804-06862-7
Case UPC	0-74804-16721-4	0-74804-16862-4
Unit Size	1 GAL	1 GAL

EXTENDED LIFE ORANGE ANTIFREEZE + COOLANT

FOR USE IN	<ul style="list-style-type: none"> Chrysler: 2013 and up Ford: 2011 -2019 GM: 1995 and up
FORMULATION/TECHNOLOGY	EG-based coolant containing organic acid technology (OAT) that is silicate, borate, phosphate, nitrite, and amine-free
LIQUID COLOR	Orange
SPECIFICATION	ASTM D3306, ASTM D4985

	CONCENTRATE	50/50
Part Number	NAO0B3	NAOB53
UPC	0-74804-06722-4	0-74804-06864-1
Case UPC	0-74804-16722-1	0-74804-16864-8
Unit Size	1 GAL	1 GAL



RECOMMENDED PRODUCT	SERVICE TO BE PERFORMED	
	TOP-OFF	FLUSH/FILL
CONCENTRATE	✓	✓
50/50 PREDILUTED	✓	✓

**JUMP INTO THE PREMIUM COOLANT BUSINESS
WITH 6 CASES OF PEAK OET ANTIFREEZE + COOLANT
AND GET A
FREE DISPLAY!**



- Durable metal rack conveniently stores 18 PEAK OET Coolant bottles
- Coolant assortment ordering options offer flexibility for customization to your specific market over time
- Rack signage options included to work with customized assortment to quickly identify coolant options on-shelf



**CONTACT YOUR
PEAK REPRESENTATIVE
FOR MORE INFORMATION**



ORIGINAL EQUIPMENT TECHNOLOGY

A PERFECT MATCH FOR EVERY VEHICLE

See product labels for complete application listing.

ASIAN VEHICLES

ASIAN RED/PINK	 <p>Lexus Scion Toyota</p>	ASIAN BLUE	 <p>Acura Honda Infiniti Mitsubishi Nissan Subaru Suzuki</p>	ASIAN GREEN	 <p>Hyundai Infiniti Kia Mazda Mitsubishi Nissan Subaru Suzuki</p>
POAT Phosphated OAT		POAT Phosphated OAT		POAT Phosphated OAT	

EUROPEAN VEHICLES

EUROPEAN BLUE	 <p>Audi BMW Dodge Jaguar Mercedes-Benz Mini Porsche Land Rover Saab VW Volvo</p>	EUROPEAN PINK	 <p>Audi Jaguar Fiat Land Rover Porsche Range Rover Saab VW</p>	EUROPEAN VIOLET	 <p>Audi Mercedes Porsche VW</p>
Si-HOAT Silicate-Enhanced HOAT		OAT Organic Acid Technology		Si-OAT Silicate-Enhanced OAT	

NORTH AMERICAN VEHICLES

NORTH AMERICAN GREEN	 <p>Chrysler/FCA Ford GM</p>	NORTH AMERICAN GOLD	 <p>Chrysler/FCA Ford</p>	NORTH AMERICAN ORANGE	 <p>Chrysler/FCA Ford GM</p>
IAT Inorganic Additive Technology		HOAT Hybrid OAT		OAT Organic Acid Technology	



ORIGINAL EQUIPMENT TECHNOLOGY

For information call (800) 289-7234

©2020 Old World Industries, LLC. All Rights Reserved.
PEAK and PEAK ORIGINAL EQUIPMENT TECHNOLOGY are trademarks of Old World Industries, LLC.

peakauto.com



OETCAT2020